

# SATELLITE

Satellite 550 Dark




Satellite 600 Dark




Baule da tetto dal profilo affusolato ed aerodinamico equipaggiato con sistema antifurto integrato. Dotato di doppio sistema di aggancio: interno alle barre da tetto, tramite viti a TQ<sup>[1]</sup> che si inseriscono nella scalatura dei profili, oppure esterno tramite supporti ad "U"<sup>[2]</sup> che abbracciano il profilo delle barre.

Roof box with a streamlined, aerodynamic profile equipped with anti-theft system as standard. Designed with a dual fixing system: inside the roof bars via T-screws<sup>[1]</sup> that fit inside the profile grooves, or outside through U-shaped brackets<sup>[2]</sup> that wrap around the bars.



[1]


[2]




Modello Model	Satellite 550 Dark	Satellite 600 Dark
Codice articolo Product code	000166500000	000166100000
Peso prodotto (kg) Product weight (lb)	17,8 kg 39.2 lb	18,4 kg 40.5 lb
Materiale Material	Abs	Abs
Portata massima (kg) Max load (lb)	75 kg 165 lb	75 kb 165 lb
Serratura antifurto Anti-theft lock	✓	✓
Dimensioni esterne (L x H x W) External dimensions (L x H x W)	1980 x 360 x 940 mm 78 x 14.2 x 37"	1976 x 467 x 941 mm 77.7 x 18.4 x 37"
Dimensioni interne (L x H x W) Internal dimensions (L x H x W)	1909 x 310 x 824 mm 75.1 x 12.2 x 32.4"	1909 x 406 x 881 mm 75.1 x 16 x 34.6"

## Barre da tetto compatibili Compatible roof bars

Montaggio con vite TQ  
 T-screw fixing system




X	Min. 8,5 mm / 0.4"
W	20 mm / 0.8"




Min	Max
570 mm / 22.4"	830 mm / 32.7"

Montaggio con supporti ad U  
 U-brackets fixing system



	Min	Max
Y	18 mm / 0.7"	35 mm / 1.4"
X	-	60 mm / 2.3"



Min	Max
525 mm / 20.6"	875 mm / 34.4"

## Sistemi di montaggio opzionali Optional fixing systems

